ELSEVIER

Wear 203–204 (1997) 730–731

WEAR

Author Index of Volumes 203–204

Adachi, K., 291
Adams, M.J., 88
Adler, T.A., 257
Ahmed, R., 98
Ahn, H.-S., 77, 658
Allen, C., 528, 537
Alman, D.E., 247
Anderegg, J.W., 464
Arnold, B.K., 663
Axén, N., 637

Bacci, T., 447
Bahadur, S., 1, 36, 455, 464
Baker, R.F., 425
Balbahadur, A.C., 715
Bayer, R.G., 1
Berns, H., 608
Blau, P.J., 1, 648
Blencoe, K.A., 722
Bolvari, A., 697
Bouchoucha, A., 434
Brendlé, M., 564
Briscoe, B.J., 88
Budinski, K.G., 302
Bugliosi, S., 242
Byeli, A.V., 596

Carter, J.T., 11
Charest, J.A., 350
Chashechkina, J., 46
Chen, J.W., 155
Chen, N., 291
Chen, Z., 28
Choudhury, M., 335
Clayton, P., 65
Constantine, A.G., 671
Corlett, N., 474
Costa, H.L., 626
Cox, J.M., 404
Cuppini, D., 242

Dang Van, K., 139, 180
Davis, J.A., 596
Dent, A.H., 196
D'Errico, G.E., 242
Deuis, R.L., 119
Diss, P., 564
Doğan, C.P., 267
Doğan, Ö.N., 257
Donaldson, A., 36
Dumbleton, J.H., 230

Edwards, B., 230
Eiss, N.S., 380

Elsevier Science S.A.

Ellis, C., 697
El Mansori, M., 148
Erck, R.A., 588
Erdemir, A., 588
Erickson, L.C., 709
Essner, A., 230

Fenske, G.R., 588
Fischer, T.E., 310
Fouvry, S., 393
Franco, S.D., 608
Freese, J.W., 350

Gates, J.D., 544
Gee, M.G., 404
Gibson, E.D., 28, 36
Glaeser, W.A., 1
Glenn, S., 697
Gore, G.J., 544
Grigoriev, A.Ya., 658
Guglielmi, E., 242
Guo, S.Y., 319

Hadfield, M., 98
Ham, A.L., 387
Han, B.-D., 284
Hanchi, J., 380
Hanlon, D.N., 220
Hanna, M.D., 11
Harris, S.J., 507
Hawk, J.A., 247, 267
Hawthorne, H.M., 709
Heijkoop, T., 663
Hogmark, S., 637
Hong, H., 588
Hosokawa, T., 573
Hu, Q., 507
Hutchings, I.M., 325, 335

Jacobson, S., 637
James, M., 46
Janssen, R., 697
Jia, K., 310
Jia, Y., 65
Jiang, J., 615
Jr, ., 380
Julian, K.S., 88

Kadiri, E.K., 434
Kapoor, A., 162
Kapsa, P., 393
Kato, K., 22, 291, 642
Kennedy, F.E., 715
Kernick, M., 537
Khurshudov, A.G., 22
Kim, J.-Y., 77
Kirk, T.B., 418
Kirpichenko, Yu.E., 679
Koide, H., 22
Kong, H., 341, 658
Kovtun, V.A., 679
Kreider, K.G., 187
Kristiansen, M., 36
Kukareko, V.A., 596
Kwon, O.-K., 341, 658

Larsen-Basse, J., 1
Lashmore, D.S., 715
Lee, K.-H., 278
Lee, K.-Y., 375
Lee, S.W., 580
Le Huu, T., 442
Lepper, K., 46
Li, J., 319
Li, X.Y., 703
Li, Z.Z., 155
Lilly, M.D., 350
Lim, D.-S., 77, 278, 284
Liu, P., 28, 36
Lloyd, P.G., 663
Lobodaeva, O.V., 596
Ludema, K.C., 1

Maitournam, M.H., 139
Mao, D.S., 319
Mao, Z.Y., 319
Maouche, N., 139
Martin, R.L., 648
Matsumura, M., 573
McColl, I.R., 507
Mello, J.D.B.d., 626
Mihora, D.J., 350, 362
Molinari, A., 447
Myshkin, N.K., 658

Neumann, P., 107
Nishida, T., 642

Oh, J.-E., 341
Oh, Y.-S., 278
Ohnogi, H., 573
Oka, Y.I., 573
Olver, A.V., 425

Palasamudram, S.L., 455
Pandolfelli, V.C., 626
Park, D.-S., 284
Paulmier, D., 148, 434, 442

Peña, D., 489
Peng, Z., 418
Perrin, C., 171
Petrovic, J.J., 247
Pickles, M.J., 88
Pienkowski, D., 375
Pleskachevsky, Yu.M., 679
Polineni, V.K., 230
Pradelli, G., 447
Prasad, S.V., 498

Rainforth, W.M., 171, 220
Ramamurthy, A.C., 325, 350, 362
Rashid, M.S., 11
Rhee, S.K., 1
Rigney, D.A., 1, 46
Ross, D., 709
Rubenis, G., 663
Ruff, A.W., 1, 187
Rutherford, K.L., 325

Sare, I.R., 206, 663, 671
Scholl, M., 57, 65
Sellars, C.M., 220
Shipway, P.H., 196
Sokol, M., 230
Spurr, G.J., 507
Stack, M.M., 474, 489, 615
Stalin-Muller, N., 180
Stark, C., 230
Stott, F.H., 615
Straffelini, G., 447
Subramanian, C., 119, 129
Suckling, M., 528
Summerville, E., 129
Sun, D.C., 230

Tabrett, C.P., 206
Tai, H., 709
Tandon, K.N., 703
Tesi, B., 447
Trezona, R.I., 325
Troczynski, T., 709

Unertl, W.N., 685

Venkatesan, K., 129
Verhoeven, J.D., 28, 36
Vincent, L., 393
Vingsbo, O., 1
Voevodin, A.A., 516

Walck, S.D., 516

Wang, A., 230
Wang, B.Q., 580
Wang, G.-X., 155
Watts, J.F., 387
Wilbur, P.J., 596
Williams, J.A., 162, 722
Wong, S.K., 162
Wood, P.A., 507
Wood, S.J., 196
Woodland, D.D., 685
Wu, J.M., 155
Wu, N.Q., 155

Xu, J., 642
Xu, M.H., 319
Xu, Z.L., 418
Xue, Q., 692

Yang, D., 692
Yau, S.-S., 230
Yellup, J.M., 119
Yeo, I.-W., 284
Yeomans, J.A., 387
Yoon, E.-S., 341

Zabinski, J.S., 498, 516
Zahouani, H., 393
Zaïdi, H., 148, 434, 442
Zanoria, E.S., 648
Zhang, L., 464
Zhou, J., 692
Zhou, S., 474
Zum Gahr, K.-H., 107

ELSEVIER

Wear 203–204 (1997) 732–739

WEAR

Subject Index of Volumes 203–204

Abrasion
abrasive wear of titanium nitride coatings, 57
deterioration behavior of thermomechanical refiner plates, 65
the effect of heat treatment on the abrasion resistance of alloy white irons, 206
abrasive wear of Si_3N_4–$MoSi_2$ composites, 247
the microstructural dependence of wear and indentation behaviour of some plasma-sprayed alumina coatings, 709
Abrasion resistance
resistance to particle abrasion of selected plastics, 302
Abrasive wear
abrasive wear of composite coatings in a saline sand slurry environment, 119
influence of whisker reinforcement on the abrasive wear behavior of silicon nitride- and alumina-based composites, 267
the effects of irradiation and ageing on the abrasive wear resistance of ultra high molecular weight polyethylene, 335
on the abrasive wear of zirconias, 626
principles for the tribological evaluation of intrinsic coating properties, 637
ACuZinc alloy
sliding wear and friction characteristics of six Zn-based die-casting alloys, 11
Additives
tribological behavior of silicon nitride that is compositionally modified by high-temperature electrolysis, 278
AFM
wear of the AFM diamond tip sliding against silicon, 22
AFM tip wear
wear of the AFM diamond tip sliding against silicon, 22
Al–Bi
sliding behavior of selected aluminum alloys, 46
Al–Cu alloys
work hardening behaviour at the worn surface of Al–Cu and Al–Si alloys, 171
Alloy white cast irons
effect of hardness on three very different forms of wear, 544
Alloy white iron
wear of cast-bonded components in a coal pulveriser mill, 663
Al–Pb
sliding behavior of selected aluminum alloys, 46
Al–Si alloys
work hardening behaviour at the worn surface of Al–Cu and Al–Si alloys, 171
Al–Sn
sliding behavior of selected aluminum alloys, 46
Al–Ti alloy
microstructure and sliding wear behavior of PM alloy Al–10Ti after thermal exposure, 155
Alumina
influence of whisker reinforcement on the abrasive wear behavior of silicon nitride- and alumina-based composites, 267
the impact angle dependence of erosion damage caused by solid particle impact, 573
Aluminium alloy
influence of surface and heat treatment on the fretting wear of an aluminium alloy reinforced with SiC particles, 507
Aluminium composite
abrasive wear of composite coatings in a saline sand slurry environment, 119
Aluminum bearing materials
sliding behavior of selected aluminum alloys, 46
Angularity
particle characterization for angularity and the effects of particle size and angularity on erosion in a fluidized bed environment, 455
Angularity parameter
particle characterization for angularity and the effects of particle size and angularity on erosion in a fluidized bed environment, 455
Antifrictional filler
tribological coatings formed by electrocontact sintering of powder systems, 679
Aqueous environments
a methodology for the construction of the erosion–corrosion map in aqueous environments, 474
Aramid fibre composites
wear and friction of aramid fiber and polytetrafluoroethylene filled composites, 697
Arc erosion
arc erosion behavior of Cu–15%Nb and Cu–15%Cr in situ composites, 36
Ash
critical variables in high temperature erosive wear, 528
Assessment strategies
development of methodologies for the evaluation of wear-resistant materials for the mineral industry, 671
ATC ceramic
the friction–wear behavior of Al_2O_3–TiC–Co advanced ceramic during in-situ SEM, 319
Automobile paint coatings
the abrasive and erosive wear of polymeric paint films, 325
Automotive fascia
friction induced damage: preliminary numerical analysis of stresses within painted automotive plastics induced by large curvature counterfaces, 362
Axial injection
the microstructural dependence of wear and indentation behaviour of some plasma-sprayed alumina coatings, 709

Bainite
the hardness and sliding wear behaviour of a bainitic steel, 196
Boundary lubrication
friction of sliding surfaces carrying boundary films, 722
Brakes
the friction and wear of Cu-based silicon carbide particulate metal matrix composites for brake applications, 715

Elsevier Science S.A.

Carbides
the effect of heat treatment on the abrasion resistance of alloy white irons, 206
Carbide volume fraction
wear of cast-bonded components in a coal pulveriser mill, 663
Carbon-fiber-reinforced PEEK composite
dry sliding friction and wear of short carbon-fiber-reinforced polyetheretherketone (PEEK) at elevated temperatures, 380
Carbon nitride
architecture of multilayer nanocomposite coatings with super-hard diamond-like carbon layers for wear protection at high contact loads, 516
Ceramic composite
a study on wear and erosion of sialon–Si_3N_4 whisker ceramic composites, 284
Ceramic matrix composite
elevated temperature solid particle erosion of silicon carbide continuous fibre reinforced calcium aluminosilicate glass–ceramic matrix composite, 387
Ceramics
wear map of ceramics, 291
hot friction testing of ceramics, 404
solid/liquid lubrication of ceramics at elevated temperatures, 588
Cermets
a study of cermets' wear behaviour, 242
Chromium bearing steels
the effect of processing route, composition and hardness on the wear response of chromium bearing steels in a rolling–sliding configuration, 220
Classification
classification of wear debris using a neural network, 658
Coal pulverisers
wear of cast-bonded components in a coal pulveriser mill, 663
Coated surfaces
shakedown limits on coated and engineered surfaces, 162
Coating
abrasive wear of titanium nitride coatings, 57
Coatings
erosion of polymer–particle composite coatings by liquid water jets, 88
principles for the tribological evaluation of intrinsic coating properties, 637
Coefficient of friction
evaluation of frictional characteristics for a pin-on-disk apparatus with different dynamic parameters, 341
Composite materials
subsurface microstructures generated by dry sliding wear on as-cast and heat treated Al metal matrix composites, 703
Composites
abrasive wear of Si_3N_4–$MoSi_2$ composites, 247
influence of whisker reinforcement on the abrasive wear behavior of silicon nitride- and alumina-based composites, 267
Composition
the effect of processing route, composition and hardness on the wear response of chromium bearing steels in a rolling–sliding configuration, 220
Condition monitoring
classification of wear debris using a neural network, 658
Contact resistance
influence of electric fields on the tribological behaviour of electrodynamical copper/steel contacts, 434
Contour shape description
classification of wear debris using a neural network, 658
Cooled specimen
elevated temperature erosion of several thermal-sprayed coatings under the simulated erosion conditions of in-bed tubes in a fluidized bed combustor, 580
Coppered graphite
tribological coatings formed by electrocontact sintering of powder systems, 679
Cordierite
oscillating sliding wear of cordierite glass and ceramic in liquid media, 107
Corrosion
abrasive wear of composite coatings in a saline sand slurry environment, 119
Crack nucleation
on a new method of evaluation of the inelastic state due to moving contacts, 139
Creep
reduction in the initial wear of ultrahigh molecular weight polyethylene after compressive creep deformation, 375
Cross-linking
orientation softening in the deformation and wear of ultra-high molecular weight polyethylene, 230
Cu–Cr composite
electrotribological behavior of Cu-15 vol.% Cr in situ composites under dry sliding, 28
Cutting performance
a study of cermets' wear behaviour, 242

Debris
direct observations of fretting wear of steel, 425
Diamond-like carbon
architecture of multilayer nanocomposite coatings with super-hard diamond-like carbon layers for wear protection at high contact loads, 516
Diamond tip
wear of the AFM diamond tip sliding against silicon, 22
Disilicide
abrasive wear of Si_3N_4–$MoSi_2$ composites, 247
Dispersion strengthening
microstructure and sliding wear behavior of PM alloy Al–10Ti after thermal exposure, 155
Dissipation energy
wear analysis in fretting of hard coatings through a dissipated energy concept, 393
Dry friction
a general approach to discontinuous transfer films: influence of sliding speed and stick–slip phenomena, 564
Dry sliding
electrotribological behavior of Cu-15 vol.% Cr in situ composites under dry sliding, 28
Dynamic parameter
evaluation of frictional characteristics for a pin-on-disk apparatus with different dynamic parameters, 341

Effect of environments
the effect of partial pressure of oxygen on the tribological behaviour of a nickel-based alloy, N80A, at elevated temperatures, 615
Effect of humidity
oscillating sliding wear of cordierite glass and ceramic in liquid media, 107
Effects of environment
sliding behavior of selected aluminum alloys, 46
Electric current
study of magnetized or electrical sliding contact of a steel XC48/graphite couple, 148
Electric field
influence of electric fields on the tribological behaviour of electrodynamical copper/steel contacts, 434
Electrocontact sintering
tribological coatings formed by electrocontact sintering of powder systems, 679

Electrolysis
tribological behavior of silicon nitride that is compositionally modified by high-temperature electrolysis, 278
Electrotribology
electrotribological behavior of Cu-15 vol.% Cr in situ composites under dry sliding, 28
Elevated temperature
elevated temperature solid particle erosion of silicon carbide continuous fibre reinforced calcium aluminosilicate glass–ceramic matrix composite, 387
Elevated temperature erosion
elevated temperature erosion of several thermal-sprayed coatings under the simulated erosion conditions of in-bed tubes in a fluidized bed combustor, 580
Energy wear coefficient
wear analysis in fretting of hard coatings through a dissipated energy concept, 393
Engineered surfaces
shakedown limits on coated and engineered surfaces, 162
Erosion
deterioration behavior of thermomechanical refiner plates, 65
erosion of polymer–particle composite coatings by liquid water jets, 88
damage by indentation and single impact of hard particles on a high chromium white cast iron, 257
a study on wear and erosion of sialon–Si_3N_4 whisker ceramic composites, 284
particle characterization for angularity and the effects of particle size and angularity on erosion in a fluidized bed environment, 455
critical variables in high temperature erosive wear, 528
the impact angle dependence of erosion damage caused by solid particle impact, 573
wear of cast-bonded components in a coal pulveriser mill, 663
the microstructural dependence of wear and indentation behaviour of some plasma-sprayed alumina coatings, 709
Erosion behaviour
a study of cermets' wear behaviour, 242
Erosion–corrosion maps
a methodology for the construction of the erosion–corrosion map in aqueous environments, 474

Fatigue
on a new method of evaluation of the inelastic state due to moving contacts, 139
Field tests
development of methodologies for the evaluation of wear-resistant materials for the mineral industry, 671
Field trials
wear of cast-bonded components in a coal pulveriser mill, 663
Flexure Testing
hot friction testing of ceramics, 404
Forging die steel
three-body abrasion of surface engineered die steel at elevated temperatures, 129
Fretting
on a new method of evaluation of the inelastic state due to moving contacts, 139
wear analysis in fretting of hard coatings through a dissipated energy concept, 393
direct observations of fretting wear of steel, 425
influence of surface and heat treatment on the fretting wear of an aluminium alloy reinforced with SiC particles, 507
Friction
sliding wear and friction characteristics of six Zn-based die-casting alloys, 11
study of magnetized or electrical sliding contact of a steel XC48/graphite couple, 148
hot friction testing of ceramics, 404
the effect of zinc and copper oxides and other zinc compounds as fillers on the tribological behavior of thermosetting polyester, 464
effects of surface grinding conditions on the reciprocating friction and wear behavior of silicon nitride, 648
tribological coatings formed by electrocontact sintering of powder systems, 679
the friction and wear of Cu-based silicon carbide particulate metal matrix composites for brake applications, 715
friction of sliding surfaces carrying boundary films, 722
Friction coefficient
oscillating sliding wear of cordierite glass and ceramic in liquid media, 107
the friction–wear behavior of Al_2O_3–TiC–Co advanced ceramic during in-situ SEM, 319
Friction coefficients
the effect of temperature and humidity on the friction and wear of magnetic tape, 642
Friction induced damage (FID)
friction induced paint damage—A novel method for objective assessment of painted engineering plastics, 350
Friction–wear property
the friction–wear behavior of Al_2O_3–TiC–Co advanced ceramic during in-situ SEM, 319

Gamma irradiation
the effects of irradiation and ageing on the abrasive wear resistance of ultra high molecular weight polyethylene, 335
Glass
oscillating sliding wear of cordierite glass and ceramic in liquid media, 107
Glass-ceramics
oscillating sliding wear of cordierite glass and ceramic in liquid media, 107
Graphite
study of magnetized or electrical sliding contact of a steel XC48/graphite couple, 148
a general approach to discontinuous transfer films: influence of sliding speed and stick–slip phenomena, 564
Grinding
effects of surface grinding conditions on the reciprocating friction and wear behavior of silicon nitride, 648
Gross slip
wear analysis in fretting of hard coatings through a dissipated energy concept, 393
Ground ceramics
effects of surface grinding conditions on the reciprocating friction and wear behavior of silicon nitride, 648

Hard carbon coating
friction and wear properties of hard carbon coatings at high sliding speed, 442
Hardness
erosion of polymer–particle composite coatings by liquid water jets, 88
the hardness and sliding wear behaviour of a bainitic steel, 196
the effect of processing route, composition and hardness on the wear response of chromium bearing steels in a rolling–sliding configuration, 220
effect of hardness on three very different forms of wear, 544
Hard particles
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
Heat treatment
the effect of heat treatment on the abrasion resistance of alloy white irons, 206
High-chromium white irons
the effect of heat treatment on the abrasion resistance of alloy white irons, 206

High energy
arc erosion behavior of Cu–15%Nb and Cu–15%Cr in situ composites, 36
High speed steel
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
High temperature
three-body abrasion of surface engineered die steel at elevated temperatures, 129
a study on wear and erosion of sialon–Si_3N_4 whisker ceramic composites, 284
dry sliding friction and wear of short carbon-fiber-reinforced poly-etheretherketone (PEEK) at elevated temperatures, 380
hot friction testing of ceramics, 404
critical variables in high temperature erosive wear, 528
the effect of partial pressure of oxygen on the tribological behaviour of a nickel-based alloy, N80A, at elevated temperatures, 615
High-temperature lubrication
solid/liquid lubrication of ceramics at elevated temperatures, 588
High temperature wear
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
Hot hardness
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
HVOF
wear of high-velocity oxy-fuel (HVOF)-coated cones in rolling contact, 98

Image analysis
classification of wear debris using a neural network, 658
Impact
damage by indentation and single impact of hard particles on a high chromium white cast iron, 257
Impact–abrasion
effect of hardness on three very different forms of wear, 544
Impact angle dependence
the impact angle dependence of erosion damage caused by solid particle impact, 573
Implicit finite element
friction induced damage: preliminary numerical analysis of stresses within painted automotive plastics induced by large curvature counterfaces, 362
Indentation
damage by indentation and single impact of hard particles on a high chromium white cast iron, 257
the microstructural dependence of wear and indentation behaviour of some plasma-sprayed alumina coatings, 709
Initial wear
initial wear in nanometer-scale contacts on polystyrene, 685
Inorganic fillers
the effect of zinc and copper oxides and other zinc compounds as fillers on the tribological behavior of thermosetting polyester, 464
Inter-granular fracture
wear map of ceramics, 291
Intergranular phase
tribological behavior of silicon nitride that is compositionally modified by high-temperature electrolysis, 278
Ion implantation
high current density ion implantation and its application to improve the wear resistance of ferrous materials, 596
wear behavior of Cr ion implanted pure iron under oil lubricated conditions, 692
Iron
high current density ion implantation and its application to improve the wear resistance of ferrous materials, 596
Isothermal specimen
elevated temperature erosion of several thermal-sprayed coatings under the simulated erosion conditions of in-bed tubes in a fluidized bed combustor, 580

Laboratory tests
development of methodologies for the evaluation of wear-resistant materials for the mineral industry, 671
Laser scanning confocal microscopy
the development of three-dimensional imaging techniques of wear particle analysis, 418
Lateral cracking
elevated temperature solid particle erosion of silicon carbide continuous fibre reinforced calcium aluminosilicate glass–ceramic matrix composite, 387
Low energy
arc erosion behavior of Cu–15%Nb and Cu–15%Cr in situ composites, 36
Lubrication mechanism
solid/liquid lubrication of ceramics at elevated temperatures, 588

Magnetic field
study of magnetized or electrical sliding contact of a steel XC48/graphite couple, 148
Magnetic tape
the effect of temperature and humidity on the friction and wear of magnetic tape, 642
Material properties
numerical simulation of the sliding wear test in relation to material properties, 180
Material wastage
elevated temperature erosion of several thermal-sprayed coatings under the simulated erosion conditions of in-bed tubes in a fluidized bed combustor, 580
Mechanism
abrasive wear of titanium nitride coatings, 57
Metallic matrix
tribological coatings formed by electrocontact sintering of powder systems, 679
Metal matrix composite
influence of surface and heat treatment on the fretting wear of an aluminium alloy reinforced with SiC particles, 507
Metal matrix composites
solid particle erosion of Ni–Cr/WC metal matrix composites at elevated temperatures: construction of erosion mechanism and process control maps, 489
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
the friction and wear of Cu-based silicon carbide particulate metal matrix composites for brake applications, 715
Metals
the impact angle dependence of erosion damage caused by solid particle impact, 573
Microscale abrasion
the abrasive and erosive wear of polymeric paint films, 325
Microstructure
influence of whisker reinforcement on the abrasive wear behavior of silicon nitride- and alumina-based composites, 267
effect of hardness on three very different forms of wear, 544
the microstructural dependence of wear and indentation behaviour of some plasma-sprayed alumina coatings, 709
Mild wear
wear map of ceramics, 291
Milling
a study of cermets' wear behaviour, 242
Molybdenum
abrasive wear of Si_3N_4–$MoSi_2$ composites, 247

Multiaxial motion
orientation softening in the deformation and wear of ultra-high molecular weight polyethylene, 230
Multilayer nanocomposites
architecture of multilayer nanocomposite coatings with super-hard diamond-like carbon layers for wear protection at high contact loads, 516

Nanocomposites
sliding wear of conventional and nanostructured cemented carbides, 310
Nanocrystalline films
tribological behavior of nanocrystalline zinc oxide films, 498
Nanometre-scale contacts
initial wear in nanometer-scale contacts on polystyrene, 685
Nanostructured cemented carbide
sliding wear of conventional and nanostructured cemented carbides, 310
Nano-wear
wear of the AFM diamond tip sliding against silicon, 22
Neural net
classification of wear debris using a neural network, 658
Nickel alloy
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
Nickel-based alloys
the effect of partial pressure of oxygen on the tribological behaviour of a nickel-based alloy, N80A, at elevated temperatures, 615
Nitrogen
high current density ion implantation and its application to improve the wear resistance of ferrous materials, 596
Numerical method
on a new method of evaluation of the inelastic state due to moving contacts, 139
Numerical simulation
numerical simulation of the sliding wear test in relation to material properties, 180

Orientation-softening
orientation softening in the deformation and wear of ultra-high molecular weight polyethylene, 230
Oscillating sliding wear
oscillating sliding wear of cordierite glass and ceramic in liquid media, 107
Oxidation
influence of electric fields on the tribological behaviour of electro-dynamical copper/steel contacts, 434

Paper
deterioration behavior of thermomechanical refiner plates, 65
Particle characterization
particle characterization for angularity and the effects of particle size and angularity on erosion in a fluidized bed environment, 455
Particle kinematics
effect of hardness on three very different forms of wear, 544
Particle reinforcement
influence of surface and heat treatment on the fretting wear of an aluminium alloy reinforced with SiC particles, 507
Pb in bearings
sliding behavior of selected aluminum alloys, 46
Phase transformation
tribological behaviour of plasma-sprayed zirconia coatings, 77
Pin-on-disk apparatus
evaluation of frictional characteristics for a pin-on-disk apparatus with different dynamic parameters, 341
Plasma nitriding
effects of load and sliding speed on the tribological behaviour of Ti–6Al–4V plasma nitrided at different temperatures, 447
Plasma spray coatings
the microstructural dependence of wear and indentation behaviour of some plasma-sprayed alumina coatings, 709
Plasma-sprayed zirconia coatings
tribological behaviour of plasma-sprayed zirconia coatings, 77
Plastics
resistance to particle abrasion of selected plastics, 302
Polymer films
the abrasive and erosive wear of polymeric paint films, 325
Polymer friction
friction induced damage: preliminary numerical analysis of stresses within painted automotive plastics induced by large curvature counterfaces, 362
Polystyrene
initial wear in nanometer-scale contacts on polystyrene, 685
Powder metallurgy
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
Powder system
tribological coatings formed by electrocontact sintering of powder systems, 679
Precipitates
subsurface microstructures generated by dry sliding wear on as-cast and heat treated Al metal matrix composites, 703
Predictive equations
the impact angle dependence of erosion damage caused by solid particle impact, 573
Processing route
the effect of processing route, composition and hardness on the wear response of chromium bearing steels in a rolling–sliding configuration, 220
Prosthesis
the sliding wear of UHMWPE against zirconia in saline containing proteins, 537
Proteins
the sliding wear of UHMWPE against zirconia in saline containing proteins, 537
PTA surfacing
abrasive wear of composite coatings in a saline sand slurry environment, 119
PTFE filled composites
wear and friction of aramid fiber and polytetrafluoroethylene filled composites, 697
Pure iron
wear behavior of Cr ion implanted pure iron under oil lubricated conditions, 692
PVD
abrasive wear of titanium nitride coatings, 57

Ratner–Lancaster correlation
erosion of polymer–particle composite coatings by liquid water jets, 88
the abrasive and erosive wear of polymeric paint films, 325
Rolling-contact fatigue
wear of high-velocity oxy-fuel (HVOF)-coated cones in rolling contact, 98
Rolling–sliding configuration
the effect of processing route, composition and hardness on the wear response of chromium bearing steels in a rolling–sliding configuration, 220
Rule of mixtures
abrasive wear of Si_3N_4–$MoSi_2$ composites, 247

Sapphire
direct observations of fretting wear of steel, 425

Scratching energy
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
Sensor
deposited thin-film wear sensors: materials and design, 187
Severe wear
wear map of ceramics, 291
Severity of contact
wear map of ceramics, 291
Shakedown limits
shakedown limits on coated and engineered surfaces, 162
Sialon
a study on wear and erosion of sialon–Si_3N_4 whisker ceramic composites, 284
Silicon nitride
abrasive wear of Si_3N_4–$MoSi_2$ composites, 247
influence of whisker reinforcement on the abrasive wear behavior of silicon nitride- and alumina-based composites, 267
tribological behavior of silicon nitride that is compositionally modified by high-temperature electrolysis, 278
effects of surface grinding conditions on the reciprocating friction and wear behavior of silicon nitride, 648
Silver film
solid/liquid lubrication of ceramics at elevated temperatures, 588
Sliding abrasion
effect of coarse hard particles on high-temperature sliding abrasion of new metal matrix composites, 608
Sliding bearing materials
sliding behavior of selected aluminum alloys, 46
Sliding contact
influence of electric fields on the tribological behaviour of electro-dynamical copper/steel contacts, 434
Sliding friction
architecture of multilayer nanocomposite coatings with super-hard diamond-like carbon layers for wear protection at high contact loads, 516
Sliding wear
sliding wear and friction characteristics of six Zn-based die-casting alloys, 11
microstructure and sliding wear behavior of PM alloy Al–10Ti after thermal exposure, 155
the hardness and sliding wear behaviour of a bainitic steel, 196
the sliding wear of UHMWPE against zirconia in saline containing proteins, 537
the effect of partial pressure of oxygen on the tribological behaviour of a nickel-based alloy, N80A, at elevated temperatures, 615
subsurface microstructures generated by dry sliding wear on as-cast and heat treated Al metal matrix composites, 703
Sliding wear in liquid media
oscillating sliding wear of cordierite glass and ceramic in liquid media, 107
Sliding wear mechanism
sliding wear of conventional and nanostructured cemented carbides, 310
Sliding wear test
numerical simulation of the sliding wear test in relation to material properties, 180
Solid lubrication
a general approach to discontinuous transfer films: influence of sliding speed and stick–slip phenomena, 564
Solid particle erosion
the abrasive and erosive wear of polymeric paint films, 325
elevated temperature solid particle erosion of silicon carbide continuous fibre reinforced calcium aluminosilicate glass–ceramic matrix composite, 387
solid particle erosion of Ni–Cr/WC metal matrix composites at elevated temperatures: construction of erosion mechanism and process control maps, 489
Statistics of testing
development of methodologies for the evaluation of wear-resistant materials for the mineral industry, 671
Steel
direct observations of fretting wear of steel, 425
critical variables in high temperature erosive wear, 528
high current density ion implantation and its application to improve the wear resistance of ferrous materials, 596
Stick–slip phenomena
a general approach to discontinuous transfer films: influence of sliding speed and stick–slip phenomena, 564
Strain hardening
damage by indentation and single impact of hard particles on a high chromium white cast iron, 257
Strain localization
damage by indentation and single impact of hard particles on a high chromium white cast iron, 257
Strain-softening
orientation softening in the deformation and wear of ultra-high molecular weight polyethylene, 230
Surface finish
effects of surface grinding conditions on the reciprocating friction and wear behavior of silicon nitride, 648
Surface roughness
reduction in the initial wear of ultrahigh molecular weight polyethylene after compressive creep deformation, 375
Surface structures
subsurface microstructures generated by dry sliding wear on as-cast and heat treated Al metal matrix composites, 703
Surface treatments
three-body abrasion of surface engineered die steel at elevated temperatures, 129
Synthetic oil
solid/liquid lubrication of ceramics at elevated temperatures, 588

Temperature
deposited thin-film wear sensors: materials and design, 187
Thermal exposure
microstructure and sliding wear behavior of PM alloy Al–10Ti after thermal exposure, 155
Thermal-sprayed coating
elevated temperature erosion of several thermal-sprayed coatings under the simulated erosion conditions of in-bed tubes in a fluidized bed combustor, 580
Thermal spraying
wear of high-velocity oxy-fuel (HVOF)-coated cones in rolling contact, 98
Thermoplastic olefin
friction induced damage: preliminary numerical analysis of stresses within painted automotive plastics induced by large curvature counterfaces, 362
Thin films
deposited thin-film wear sensors: materials and design, 187
Three-body abrasion
three-body abrasion of surface engineered die steel at elevated temperatures, 129
effect of hardness on three very different forms of wear, 544
Three-dimensional image analysis
the development of three-dimensional imaging techniques of wear particle analysis, 418
Ti–6Al–4V
effects of load and sliding speed on the tribological behaviour of Ti–6Al–4V plasma nitrided at different temperatures, 447

TiN coating
wear analysis in fretting of hard coatings through a dissipated energy concept, 393
Titanium nitride
abrasive wear of titanium nitride coatings, 57
Total hip joint implant
reduction in the initial wear of ultrahigh molecular weight polyethylene after compressive creep deformation, 375
Total joint replacements
the effects of irradiation and ageing on the abrasive wear resistance of ultra high molecular weight polyethylene, 335
TPO
friction induced paint damage—A novel method for objective assessment of painted engineering plastics, 350
friction induced damage: preliminary numerical analysis of stresses within painted automotive plastics induced by large curvature counterfaces, 362
Transfer film
the effect of zinc and copper oxides and other zinc compounds as fillers on the tribological behavior of thermosetting polyester, 464
Transfer films
a general approach to discontinuous transfer films: influence of sliding speed and stick–slip phenomena, 564
Tribochemistry
hot friction testing of ceramics, 404
Tribological coatings
tribological coatings formed by electrocontact sintering of powder systems, 679
Tribology
tribological behavior of silicon nitride that is compositionally modified by high-temperature electrolysis, 278
sliding wear of conventional and nanostructured cemented carbides, 310
friction and wear properties of hard carbon coatings at high sliding speed, 442

UHMWPE
orientation softening in the deformation and wear of ultra-high molecular weight polyethylene, 230
the effects of irradiation and ageing on the abrasive wear resistance of ultra high molecular weight polyethylene, 335
reduction in the initial wear of ultrahigh molecular weight polyethylene after compressive creep deformation, 375
the sliding wear of UHMWPE against zirconia in saline containing proteins, 537
Unlubricated sliding
dry sliding friction and wear of short carbon-fiber-reinforced polyetheretherketone (PEEK) at elevated temperatures, 380

Water jet
erosion of polymer–particle composite coatings by liquid water jets, 88
WC–Co composites
sliding wear of conventional and nanostructured cemented carbides, 310
Wear
three-body abrasion of surface engineered die steel at elevated temperatures, 129
a study on wear and erosion of sialon–Si_3N_4 whisker ceramic composites, 284
reduction in the initial wear of ultrahigh molecular weight polyethylene after compressive creep deformation, 375
the effect of zinc and copper oxides and other zinc compounds as fillers on the tribological behavior of thermosetting polyester, 464
effects of surface grinding conditions on the reciprocating friction and wear behavior of silicon nitride, 648
tribological coatings formed by electrocontact sintering of powder systems, 679
the microstructural dependence of wear and indentation behaviour of some plasma-sprayed alumina coatings, 709
the friction and wear of Cu-based silicon carbide particulate metal matrix composites for brake applications, 715
Wear debris
classification of wear debris using a neural network, 658
Wear map
wear map of ceramics, 291
wear behavior of Cr ion implanted pure iron under oil lubricated conditions, 692
Wear mechanism
the friction–wear behavior of Al_2O_3–TiC–Co advanced ceramic during in-situ SEM, 319
wear behavior of Cr ion implanted pure iron under oil lubricated conditions, 692
Wear modelling
the effect of partial pressure of oxygen on the tribological behaviour of a nickel-based alloy, N80A, at elevated temperatures, 615
Wear models
principles for the tribological evaluation of intrinsic coating properties, 637
Wear of WC/Co
sliding wear of conventional and nanostructured cemented carbides, 310
Wear particles
the development of three-dimensional imaging techniques of wear particle analysis, 418
Wear process
wear analysis in fretting of hard coatings through a dissipated energy concept, 393
Wear protection
architecture of multilayer nanocomposite coatings with super-hard diamond-like carbon layers for wear protection at high contact loads, 516
Wear-protective films
tribological behaviour of plasma-sprayed zirconia coatings, 77
Wear rate
wear behavior of Cr ion implanted pure iron under oil lubricated conditions, 692
Wear-resistant materials
development of methodologies for the evaluation of wear-resistant materials for the mineral industry, 671
Wear response
the effect of processing route, composition and hardness on the wear response of chromium bearing steels in a rolling–sliding configuration, 220
Wear sensor
deposited thin-film wear sensors: materials and design, 187
Wear test
the abrasive and erosive wear of polymeric paint films, 325
Whisker
a study on wear and erosion of sialon–Si_3N_4 whisker ceramic composites, 284
White cast iron
damage by indentation and single impact of hard particles on a high chromium white cast iron, 257
White iron
deterioration behavior of thermomechanical refiner plates, 65
Wood
deterioration behavior of thermomechanical refiner plates, 65

Work hardening
work hardening behaviour at the worn surface of Al–Cu and Al–Si alloys, 171

XPS studies
the effect of zinc and copper oxides and other zinc compounds as fillers on the tribological behavior of thermosetting polyester, 464

Zinc oxide
tribological behavior of nanocrystalline zinc oxide films, 498
Zirconia
on the abrasive wear of zirconias, 626
Zn alloys
sliding wear and friction characteristics of six Zn-based die-casting alloys, 11